Computer Aided Geometric Design 6 (1989) 365–366
North-Holland

Author Index to Volume 6 (1989)

(The issue number is given in front of page numbers)

Anderson, D.C., *see* **Waggenspack Jr., W.N.** (1) 33– 53

Ball, A.A., *see* **Storry, D.J.T.** (2) 111–120
Bardis, L. and **N.M. Patrikalakis,** Approximate conversion of rational B-spline patches (3) 189–204
Bedi, S. and **G.W. Vickers,** Surface lofting and smoothing with skeletal-lines (2) 87– 96
Bez, H.E., An analysis of invariant curves (3) 265–277
Bobrow, J.E., *see* **Casale, M.S.** (3) 235–247

Casale, M.S. and **J.E. Bobrow,** A set operation algorithm for sculptured solids modeled with trimmed patches (3) 235–247
Cobb, J.E., Letter to the Editor (1) 85– 86

Daniel, M. and **J.C. Daubisse,** The numerical problem of using Bézier curves and surfaces in the power basis (2) 121–128
Daubisse, J.C., *see* **Daniel, M.** (2) 121–128
Dierckx, P. and **B. Tytgat,** Generating the Bézier points of a β-spline curve (4) 279–291

Ely, H.S., *see* **Foley, T.A.** (2) 97–109

Foley, T.A. and **H.S. Ely,** Surface interpolation with tension controls using cardinal bases (2) 97–109
Fritsch, F.N., Representations for parametric cubic splines (Short Communication) (1) 79– 82

Garrity, T. and **J. Warren,** On computing the intersection of a pair of algebraic surfaces (2) 137–153
Grandine, T.A., Computing zeroes of spline functions (2) 129–136
Grandine, T.A., On convexity of piecewise polynomial functions on triangulations (3) 181–187
Gregory, J.A. and **J.M. Hahn,** A C^2 polygonal surface patch (1) 69– 75
Guggenheimer, H., Computing frames along a trajectory (Short Communication) (1) 77– 78

Hahn, J.M., Geometric continuous patch complexes (1) 55– 67
Hahn, J.M., *see* **Gregory, J.A.** (1) 69– 75
Herron, G., Polynomial bases for quadratic and cubic polynomials which yield control points with small convex hulls (1) 1– 9
Hoschek, J., F.-J. Schneider and **P. Wassum,** Optimal approximate conversion of spline surfaces (4) 293–306

Lee, E.T.Y., Yet another proof of knot insertion (Short Communication) (1) 83– 84
Lee, E.T.Y., A note on blossoming (4) 359–362
Lee, E.T.Y., Erratum to "Yet another proof of knot insertion" (4) 363
Luscher, N., A Greville-like formula for γ-spline functions (Short Communication) (2) 173–176

Mummy, M.S., Hermite interpolation with B-splines (Short Communication) (2) 177–179

Neff, C.A., Decomposing algebraic sets using Gröbner bases (3) 249–263

Patrikalakis, N.M., Approximate conversion of rational splines (2) 155–165
Patrikalakis, N.M., *see* **Bardis, L.** (3) 189–204
Pottmann, H., Projectively invariant classes of geometric continuity for CAGD (4) 307–321

Ramshaw, L., Blossoms are polar forms (4) 323–358
Reuding, T., Bézier patches on cubic grid curves — an application to the preliminary design of a yacht hull surface (1) 11– 21

0167-8396/88/$3.50 © 1988, Elsevier Science Publishers B.V. (North-Holland)

Sarraga, R.F., Errata: G^1 interpolation of generally unrestricted cubic Bézier curves (Short Communication) (2) 167–171
Schaback, R., Interpolation with piecewise quadratic visually C^2 Bézier polynomials (3) 219–233
Schneider, F.-J., *see* **Hoschek, J.** (4) 293–306
Sederberg, T.W., S.C. White and **A.K. Zundel**, Fat arcs: a bounding region with cubic convergence (3) 205–218
Seidel, H.-P., A new multiaffine approach to B-splines (1) 23– 32
Storry, D.J.T. and **A.A. Ball**, Design of an n-sided surface patch from Hermite boundary data (2) 111–120

Tytgat, B., *see* **Dierckx, P.** (4) 279–291

Vickers, G.W., *see* **Bedi, S.** (2) 87– 96

Waggenspack Jr ., W.N. and **D.C. Anderson**, Piecewise parametric approximations for algebraic curves (1) 33– 53
Warren, J., *see* **Garrity, T.** (2) 137–153
Wassum, P., *see* **Hoschek, J.** (4) 293–306
White, S.C., *see* **Sederberg, T.W.** (3) 205–218

Zundel, A.K., *see* **Sederberg, T.W.** (3) 205–218